

iForks-32

| Nr. | Item code | Description | Special instructions | Quantity |
|-----|------------------------------|--|--|----------|
| D1 | WF-2A-100-45-608-N | Weighing forks FEM 2A 100x45x608 new incl. milling per piece | | 2.0 |
| D1 | WF-2B-100-45-608-N | Weighing forks FEM 2B 100x45x608 new incl. milling per piece | Serial number is needed when ordering this component | 2.0 |
| D1 | WF-2A-100-45-608-IF2 | Weighing forks FEM 2A 100x45x608 IF2 | Serial number is needed when ordering this component | 1.0 |
| D2 | FS-WF-25-1150-58-IF2-RAL3000 | Fork shoes iForks 2500 1150, 58mm, IF2, RAL 3000 | | 2.0 |
| D3 | LC-2000-M-350 | Load cell 2000 M 350 | Serial number is needed when ordering this component | 4.0 |
| D3 | LC-2000-350-MR | Load cell 2000, 350 Ohm, multi-range | Serial number is needed when ordering this component Load cell can be used to replace 1 of 4 LC-2000-M-350 in non-LFT systems | 4.0 |
| D3 | LC-2000-M-1000 | Load cell 2000 M 1000Ohm | For legal for trade version. Serial number is needed when ordering this component | 4.0 |
| D4 | MP-BOLT-M12-1,5-30-CYL-LOW | Bolt M12 x 1,5 x 30 socket head low head DIN 6912, 8.8 | | 8.0 |
| D5 | MP-BOLT-M12-50-CS | Bolt M12 x 50 countersunk DIN 7991 | | 4.0 |
| D6 | MP-RING-LC-FIXATION | Loadcell fixation ring | | 4.0 |
| D7 | MP-NUT-M12-LOCKNUT | Nut M12 lock nut din985 | | 4.0 |
| D8 | SA-BA-IF2-TR | Subassembly, battery IF2 | | 2.0 |
| D9 | SS-TRANSMITTER-LED-IF2 | Front panel Transmitter, RAVAS, iForks2.0 | | 2.0 |

| Nr. | Item code | Description | Special instructions | Quantity |
|-----|--------------------------------|---|---|----------|
| D10 | SS-TRANSMITTER-1-IF2 | Label fork transmitter, Fork 1, iForks2.0 | | 1.0 |
| D10 | SS-TRANSMITTER-2-IF2 | Label fork transmitter, Fork 2, iForks2.0 | | 1.0 |
| D11 | SAP-HOP-IF2-BAT-LID-PIN | Subassembly, battery cover iForks 2.0 including pin | | 2.0 |
| D12 | SAP-HOP-IF2-BAT-LOCK-SPR-R3000 | Subassembly, lock-release handle w/ spring, RAL3000 | | 2.0 |
| D13 | SAO-EP-IF2-TR-LOWER-SUB | Subassembly, submerged electronics IF2 fork module | | 2.0 |
| D14 | SAP-MP-BOLT-RING-BUSHING-IF2 | Subassembly, Bolt with ring and bushing for IF2 housing | | 1.0 |
| D15 | SA-CH-IF2-RAV | Subassembly, charger iFork-32, RAVAS-logo | Includes inserts for EU, UK and US plug sockets | 1.0 |
| D16 | SAP-HOP-RAV-RAL3000-UPPER | Subassembly, Housing upper RAL3000 (incl. bolts and rings) | Also order the touch panel needed for your system | 1.0 |
| D17 | FR-32-RAV-HO-RAV-SHIELDED-IF2 | Front panel 3200 RAVAS housing shielded, RAVAS logo, iForks | | 1.0 |
| D18 | IN-32 | Indicator 3200 | | 1.0 |
| D19 | EB-32-REC | Receiver board, i3200 iForks 2.0 | | 1.0 |
| D20 | HOP-RAV-RAL9011-LOWER-EXCH-N2 | Housing lower part ECO black RAL 9011 exch. battery N2 | from 2013. Only for 6v systems | 1.0 |
| D20 | SA-HOP-RAV-RAL9011-LOWER | Subassembly, Housing lower part ECO black RAL 9011 | Only used for 12v versions | 1.0 |
| D21 | HOP-KIT-RAV-LOWER-BAT-EXCH-N2 | Parts set lid+screw housing lower RAL9011 exch. battery | Only for 6v systems | 1.0 |
| D22 | SAO-HOP-BAT-HOLDER-4XAA | Subassembly, battery holder 4xAA incl. pad printing | Only for 6v systems | 1.0 |
| D23 | SA-MP-SUP-RAM-CLAMP-BASE | Subassembly, RAM-support clamp | | 1.0 |

| Nr. | Item code | Description | Special instructions | Quantity |
|-----|----------------------------|--|-------------------------|----------|
| D24 | MP-CP-IF2-FEM2 | Cover plate for iForks 2.0 FEM2 RAL 7021 | | 2.0 |
| D25 | EB-CON-9/100V-12V-ISOLATED | Converter 9/100v 12v isolated | | 1.0 |
| D25 | EB-CON-100V-12V-120MA | Convertor board 100V 12V 120MA | | 1.0 |
| D26 | SA-IN-32-REC-6V | Subassembly, indicator 3200, iForks receiver, 6v (ind. only) | | 1.0 |
| D26 | SA-IN-32-REC-12V | Subassembly, indicator 3200, iForks receiver,12v (ind. only) | | 1.0 |
| D26 | SA-IN-32-REC-9/100V-12V | Subassembly, ind 3200, iForks rec, 9/100V-12V (ind. only) | | 1.0 |
| D27 | MP-BRACKET-RAM-BB | Bracket RAM BB, RAL7021 | | 1.0 |
| D28 | MP-BRACKET-RAM-PR-TH-7810 | Bracket RAM Martel printer 7810V | Option: printer | 1.0 |
| D30 | PR-EXT-TH-RAVAS-7810V | Printer Thermal 7810V | Option: printer | 1.0 |
| D31 | PRP-CA-EXT-TH-RAVAS | Cable printer Custom S /+ 7810 V | Option: printer | 1.0 |
| D32 | SA-EP-IF2-TR-RAV | Subassembly, Fork module iForks 2.0 | | 1.0 |
| D32 | SA-EP-IF2-TR-RAV-M | Subassembly, Fork module iForks 2.0, M version | Option: legal for trade | 1.0 |
| D33 | EB-OPT-WIFI-XPICO240 | Option board WIFI, Xpico 240 | | 1.0 |
| D34 | EP-ANTENNE-WLAN-UFL | Antenne WLAN, UFL connector | | 1.0 |
| D35 | EB-OPT-N2-BLT-4.0-CLASSIC | Option board bluetooth 4.0 classic | | 1.0 |
| D88 | PRP-PAP-INT-TH-RAVAS | Printer paper for Plus/S/MPP8250 thermal printer | Option: printer | 3.0 |